Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



DIVISION OF BOTANY 62.57 1902 SEP 26 1901

The Bellevue Mursery

××1901==02 ×××


TRADE LIST OF ...

American Plants M Shrubs



COLLECTED AND GROWN BY

Wm. F. Bassett & Son Hammonton, New Jersey, U. S. A.



Jerms and Remarks

Our Terms are net cash, and are for the quantities named, except that 5, 50 and 500 will be furnished at the ten, hundred and thousand rates respectively. Parties not known by us to be responsible and reliable will be expected to send cash with order or good references.

Shipping Facilities. Our nurseries are within thirty miles of Philadelphia (two railroads) and 100 miles from New York, and freight rates very low.

Mailing Plants. Small orders will be filled by mail, when so requested, where the size of the plant will permit; but postage will be added to all bills so forwarded.

Collected Plants. This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware and Maryland, and we also have arrangements with special collectors in the New England and other States. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" pulled up by irresponsible parties at so much per thousand. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility farther than to ship them in good order.

Transplanting Stock. To meet the wants of an increasing list of customers, we have, for several years, been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds and growing them under culture for one or more years.

Packing, which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

Jo Our European Friends

ዝምህምህምህን ዝምዝምህምህን ለምህምህምህን _የምህም_ህምህ ከምህምህምህን አምህምህምህን

We have a good list of European Customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that fall orders are much more desirable as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

Movelties and Specialties

Amelanchier Rotundifolium

We have found this so much superior to Amelanchier Canadensis in every respect that we unhesitatingly recommend it. Its style of growth is more compact, the foliage is more dense, and of a richer, darker green, turning to rich shades of crimson and gold in Autumn, and the strain we offer produces, in great abundance, berries which are much larger, less seedy, and of better flavor than any other June Berry. For cooking, when used with pie cherries, equal quantities of each, they make better pies and puddings than cherries alone.

Pyrus Brilliantissima

It is not necessary to say to those who are familiar with the common Pyrus arbutifolia that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our Brilliantissima has been propagated from a few plants we found which produced bright scarlet berries and retain their bright color until late in the Winter. This is so decidedly superior to the ordinary form that the little difference in first cost is not worth considering. Our stock of this is unusually fine.

Hibiscus Crimson Eye

This, the finest of all the hardy Hibiscus, was introduced by us and has been steadily gaining in popularity, and our sales of it increase largely every year. We also introduced the Rose Pink Hibiscus, and we are among the very few who offer Hibiscus militaris, both fine varieties.

Special attention is called to our stock of large and fine plants of Andromeda Arborea, Chionanthus Virginica, Cornus sericea, Cornus stolonifera, Spiraea tomentosa, and Spiraea tomentosa alba, and to the very low price of our Symphoricarpus vulgaris.

Plants not in this list

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of Eupatorium, twenty varieties of Aster, eighteen varieties of Solidago, and many others.

Dahlias

Our stock of Dahlias include the best standard varieties and the cream of the newer sorts, about two hundred varieties. Prices will be quoted on application.

Seeds

We collect American tree and shrub seeds on orders only. Prices quoted on application.

Large Plants

We make a specialty of large plants, collected with ball of earth, in carload lots. In this list may be mentioned Ilex glabra, Ilex Opaca, Kalmia latifolia, Azalea viscosa, Vaccinium corymbosum, Viburnum cassinoides, etc. These are unusually fine specimens of each variety, ranging in size from one to six feet, according to variety. Special prices on carload lots.

GENERAL LIST OF

HARDY PERENNIALS.

	Each	IO	100	1,000
Achillea filipendula	\$0 15	\$0.50	\$	\$
" millefolium roseum	10	.50	3.00	25.00
" The Pearl	10	.40	2.50	20.00
" tomentosa	15	.50	4.00	
Acorus calamus, collected	10	.50	1.50	10.00
Adiantum pedatum	15	.60	3.00	25.00
Aletris farinosa, collected	IO	•50	1.80	12.00
Alyssum saxatile	10	.50	5.00	
Andropogon macrourus, collected	10	.50	2.00	15.00
Anemone Pennsylvanica	20	.75		
" collected			5.00	
" nemorosa, collected	15	.60	3.00	
Anemonella thalictroides, collected	15	.60	3.00	
Anthemis Kelwayii	20	1.00		
Apios tuberosa	10	.30	1.00	8.00
Aquilegia Canadensis	15	.75		
" collected		.50	2.50	20.00
" cœrulea hybrida	25	.75	4.00	
Aralia hispida	15	.75		
Arenaria squarrosa, collected	20	.70	3.00	25.00
Arisaema Dracontium, collected	20	.80	4.00	
" triphyllum, collected	: IO	.50	2.00	15.00
Asarum Canadense	15	.50	4.00	
Asclepias incarnata, collected	10	.50	2.50	20.00
" pulchra, collected	10	.50	2.50	20.00
" obtusifolia, collected	20	.80		
" rubra	25			
" tuberosa, collected	20	1.00	6.00	40.00
Aspidium acrostichoides	10	.50	2.00	10.00
" aculeatum var. Braunii, col-				
lected	30	1.25		
" cristatum, collected	20	.70	4.00	
" goldianum	25	1.25		
" marginale, collected	IO	.50	2,00	10.00
" novaboracensis, collected	IO	.50	2.00	10.00
" spinulosum, collected	15	.75	3.00	25.00
" thelypteris, collected	10	.50	2.00	10.00
Asplenium ebeneum, collected	10	.50	2.00	15.00
" trichomanes, collected	15	.60	3.00	
Aster concolor, collected	15	.75	5.00	
" grandiflorus	25			
" linariifolius, collected	10	.50	1.50	12.00

All plants in this list are nursery-grown unless otherwise specified,

Aster longifolius, collected					
" Mova Anglae 15 .60 3 50 " Patens, collected 10 .50 2 00 15.00 " puniceus 20 .75 " spectabilis, collected 10 .50 2 50 20 00 " tradescantii, collected 10 .40 2.50 20 00 " tradescantii, collected 10 .40 2.50 20 00 " tradescantii, collected 10 .40 2.50 20 00 " tratraricus 15 .75 3.00 Baptisia tinctoria, collected 25 1.00 300 Bolotruchium Virginicum, collected 25 1.00 60 4.00 Brasenia peltata, collected 10 .50 2.00 15.00 Brasenia peltata, collected 25 1.00 6.00 Calamagrostis brevipills, collected 25 1.00 6.00 Calla palustris, collected 15 .60 4.00 Callirhoe involucrata 15 .60 4.00 Cally punic punichellus, collected <t< th=""><th></th><th>Each</th><th></th><th>100</th><th>1,000</th></t<>		Each		100	1,000
" Nova Anglae 15 60 3 50 " patens, collected 10 50 2 00 15.00 " puniceus 20 75 " spectabilis, collected 10 40 2.50 20 00 " tradescantii, collected 10 40 2.50 20 00 " trataricus 15 75 3.00 300 Baptisia tinctoria, collected 25 1.00 3 00 Boltonia asteroides 15 .75 3.50 Botrychium Virginicum, collected 25 1.00 60 " latisquamae 15 .75 3.50 Botrychium Virginicum, collected 25 1.00 6.00 Calamagrostis brevipilk, collected 25 1.00 6.00 Calamagrostis brevipilk, collected 25 1.00 6.00 Callirhoe involucrata 15 .60 4.00 Callirhoe involucrata 15 .60 3.00 25 00 Camptosorus rhizophyllus, collected 15 .60 3.0		15			
" patiens, collected 10 50 2 00 15.00 " puniceus 20 75 75 20 00 " spectabilis, collected 10 50 2 50 20 00 " tradescantii, collected 15 75 3.00 300 Baptisia tinctoria, collected 25 1.00 3 00 8 Boltonia asteroides 15 .75 3.50 8 15 .75 3.50 8 Botrychium Virginicum, collected 20 .60 4.00 4.00 15.00 6.00 15.00	" memoralis, collected	20		-	
" patiens, collected 10 50 2 00 15.00 " puniceus 20 75 75 20 00 " spectabilis, collected 10 50 2 50 20 00 " tradescantii, collected 15 75 3.00 300 Baptisia tinctoria, collected 25 1.00 3 00 8 Boltonia asteroides 15 .75 3.50 8 15 .75 3.50 8 Botrychium Virginicum, collected 20 .60 4.00 4.00 15.00 6.00 15.00	Nova Anglae	15			
## spectabilis, collected	" patens, collected	10		2 00	15.00
" spectabilis, collected 10 50 2 50 20 00 " tradescantii, collected 10 40 2.50 20 00 " tartaricus 15 75 3.00 Baptisia tinctoria, collected 25 1.00 3 00 Boltonia asteroides 15 75 3.50 Boltonia asteroides 15 .75 3.50 Botrychium Virginicum, collected 20 .60 4.00 Brasenia peltata, collected 10 .50 2.00 15.00 Breweria Pickeringii, collected 25 1.00 6.00 6.00 Calamagrostis brevipills, collected 25 1.00 6.00 6.00 Calipogon pulchellus, collected 15 .60 4.00 6.00 Callirhoe involucrata 15 .60 4.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00 <th>puniceus</th> <th>20</th> <th>.75</th> <th></th> <th></th>	puniceus	20	.75		
### tratraricus	" spectabilis, collected	10	.50		
Baptisia tinctoria, collected	tradescantif, confected	10			20 00
Boltonia asteroides	tartaricus	15	75	-	
Glastifolia	Baptisia tinctoria, collected	25	1.00	3 00	
	Boltonia asteroides		.75		
Solve Solv	glastifolia				
Brasenia peltata, collected	latisquamae				
Breweria Pickeringii, collected 25 1.00 6.00	Botrychium Virginicum, collected				
Calamagrostis brevipilis, collected 25 1.00 5.00 "nuttaliana, collected 25 1.00 6.00 Calla palustris, collected 15 75 4.00 Callirhoe involucrata 15 .60 4.00 Callopogon pulchellus, collected 15 .60 4.00 Caltha palustris, collected 15 .60 3.00 25 00 Camptosorus rhizophyllus, collected 15 .50 2.50 Cassia Marylandica 15 .60 3.00 Centrosema Virginica (root cuttings) 25 .80 7.50 Centrosema Virginica (root cuttings) 50 1 50 10.00 Chelone glabra, collected 15 .60 3.00 Chimaphila maculata, collected 15 .60 3.00 Chimaphila maculata, collected 15 .75 4 00 Chrysopsis falcata, collected 15 .60 3.00 "Mariana, collected 15 .60 3.00 "Mariana, collected 15 .60 3.00 Cimicifuga racemosa, collected 15 .60 3.00 Claytonia Virginica, collected 15 .60 3.00 Clintonia borealis, collected 15 .60 3.00 Coreopsis auriculata 10 .50 1.50 "grand. (Harvest Moon) 15 .75 5 00 "lanceolata 10 .50 2.00 15 00 Cypripedium acaule, collected 15 .75 4.00 Cypripedium acaule, col					15.00
nuttaliana, collected 25					
Calla palustris, collected 15 .75 4.00 Callirhoe involucrata 15 .60 4.00 Calopogon pulchellus, collected 15 .60 4.00 Caltha palustris, collected 15 .60 3.00 25 00 Camptosorus rhizophyllus, collected 15 .60 3.00 25 00 Cassia Marylandica 15 .60 3.00 25 00 Centrosema Virginica (root cuttings) .25 .80 7.50 Centrosema Virginica (root cuttings) .50 1 50 10.00 Chelone glabra, collected 10 .50 3 00 Chelone glabra, collected 15 .60 3.00 Chimaphila maculata, collected 15 .60 3.00 Chimaphila maculata, collected 15 .75 4.00 Chrysopsis falcata, collected 15 .60 3.00 Chrysopsis falcata, collected 15 .60 3.00 Cimcifuga racemosa, collected 15 .60 2.00 15.00				_	
Callirĥoe involucrata		10.0			
Calopogon pulchellus, collected 15 .60 4.00 Caltha palustris, collected 15 .60 3 00 25 00 Camptosorus rhizophyllus, collected 15 .50 2.50 Cassia Marylandica 15 .60 3.00 Centrosema Virginica (root cuttings) .25 .80 7.50 Centrosema Virginica (root cuttings) .50 1 50 10.00 Chelone glabra, collected 10 .50 3 00 Chimaphila maculata, collected 15 .60 3 00 Chimaphila maculata, collected 15 .60 3 00 Chimaphila maculata, collected 15 .60 3 00 Chrysopsis falcata, collected 15 .60 3 00 Chrysopsis falcata, collected 15 .60 3 00 20.00 Claytonia Virginica, collected 15 .60 3 00 20.00 Claytonia Virginica, collected 15 .60 3 00 20.00 Clintonia borealis, collected 15 .75 5 00 1	Calla palustris, collected				
Caltha palustris, collected 15 60 3 00 25 00 Camptosorus rhizophyllus, collected 15 50 2 50 Cassia Marylandica 15 60 3.00 Centrosema Virginica (root cuttings) .25 .80 7.50 Centrosema Virginica (root cuttings) .50 1 50 10.00 Chelone glabra, collected 10 .50 3 00 Chimaphila maculata, collected 15 .60 3.00 "umbellata, collected 15 .75 4 00 Chrysopsis falcata, collected 10 .50 2.50 15.00 Chrysopsis falcata, collected 15 .60 3.00 20.00 Clincifuga racemosa, collected 15 .60 3.00 20.00 Claytonia Virginica, collected 15 .60 3.00 20.00 Clintonia borealis, collected 15 .60 3.00 15.00 Coreopsis auriculata 10 .50 2.00 15.00 "grand. (Harvest Moon) 15 .75 <th>Callirhoe involucrata</th> <th>-</th> <th></th> <th></th> <th></th>	Callirhoe involucrata	-			
Camptosorus rhizophyllus, collected 15 50 2.50 Cassia Marylandica 15 60 3.00 Centrosema Virginica (root cuttings) 25 .80 7.50 "White Lady (root cuttings) 50 150 10.00 Chelone glabra, collected 10 .50 3.00 Chimaphila maculata, collected 15 .60 3.00 "umbellata, collected 15 .75 4.00 Chrysopsis falcata, collected 10 .50 2.50 15.00 Cimcifuga racemosa, collected 15 .60 3.00 Claytonia Virginica, collected 15 .60 3.00 Clintonia borealis, collected 15 .60 3.00 Coreopsis auriculata 10 .50 1.50 Coreopsis auriculata 10 .50 1.50 "grand. (Harvest Moon) 15 .75 500 "lanceolata 10 .50 2.00 15.00 Cuttilla Mariana, collected 15 .75 4.00 Cypripedium acaule, collected 15 .75 4.00 Cypripedium acaule, collected 15 .75 4.00 "pubescens, collected 15 .75 4.00 "pubescens, collected 15 .75 4.00 "grand. (Farvest Moon) 15 .75 5.00 "cuttilla Mariana, collected 15 .75 4.00 "pubescens, collected 15 .75 4.00 "pubescens, collected 15 .75 4.00 "cucullaria, collected 15 .75 2.50 15.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00					
Cassia Marylandica 15 60 3.00 Centrosema Virginica (root cuttings) 25 80 7.50 "White Lady (root 50 1 50 10.00 Chelone glabra, collected 10 50 3 00 Chimaphila maculata, collected 15 60 3.00 "umbellata, collected 15 60 3.00 "Mariana, collected 10 50 2.50 15.00 Cimcifuga racemosa, collected 15 60 3 00 20.00 Claytonia Virginica, collected 15 60 3 00 20.00 Clintonia borealis, collected 15 60 3.00 15.00 Coreopsis auriculata 10 50 1.50 15.00 Coreopsis auriculata 10 50 1.50 15.00 Coreopsis auriculata 10 50 2.00 15.00 "grand. (Harvest Moon) 15 75 5.00 "pubescens, collected 20 60 3.00 Cunilla Mariana,					25 00
Centrosema Virginica (root cuttings) .25 .80 7.50 "White Lady (root cuttings) .50 I 50 I0.00 Chelone glabra, collected I0 .50 3 00 Chimaphila maculata, collected I5 .60 3 00 "umbellata, collected I5 .75 4 00 Chrysopsis falcata, collected 10 .50 2.50 I5.00 Cimcifuga racemosa, collected I5 .60 3 00 20.00 Cimcifuga racemosa, collected I5 .60 3 00 20.00 Claytonia Virginica, collected I5 .60 3.00 20.00 15.00 Clintonia borealis, collected I5 .60 3.00 20.00 15.00 Coreopsis auriculata I0 .50 1.50 1.50 "grand. (Harvest Moon) I5 .75 5 00 "alanceolata I0 .50 2.00 15 00 "orsea I5 .75 4.00 2.00 15 00 Cypripedium acaule, col					
White Lady (root cuttings .50 I 50 I0.00 Chelone glabra, collected .50 3 00 Chimaphila maculata, collected		15			Uly still
cuttings .50 I 50 10.00 Chelone glabra, collected 10 .50 3 00 Chimaphila maculata, collected 15 .60 3.00 "umbellata, collected 15 .75 4 00 Chrysopsis falcata, collected 20 .50 3.00 10.00 "Mariana, collected 10 .50 2.50 15.00 Cimcifuga racemosa, collected 15 .60 3.00 20.00 Claytonia Virginica, collected 15 .60 2.00 15.00 Clintonia borealis, collected 15 .60 3.00 Coreopsis auriculata 10 .50 1.50 "grand. (Harvest Moon) 15 .75 5.00 "grand. (Harvest Moon) 15 .75 5.00 "cupilla Mariana, collected 20 .60 3.00 Cypripedium acaule, collected 15 .75 4.00 "pubescens, collected 15 .60 3.00 Dentaria laciniata, collected 15			.25	.80	7.50
Chelone glabra, collected 10 50 3 00 Chimaphila maculata, collected 15 60 3.00 "umbellata, collected 15 .75 4 00 Chrysopsis falcata, collected 20 .50 3.00 10.00 "Mariana, collected 10 .50 2.50 15.00 Cimcifuga racemosa, collected 15 .60 3.00 20.00 Claytonia Virginica, collected 15 .60 2.00 15.00 Clintonia borealis, collected 15 .60 3.00 Coreopsis auriculata 10 .50 1.50 "grand. (Harvest Moon) 15 .75 5 00 "arcoea 15 .75 5 00 "arcoea 15 .75 .00 "arcoea .15 .75 .4 00 "arcoea .15 </th <th></th> <th></th> <th>11115</th> <th>1</th> <th></th>			11115	1	
Chimaphila maculata, collected 15 .60 3.00 "umbellata, collected 15 .75 4.00 Chrysopsis falcata, collected 20 .50 3.00 10.00 "Mariana, collected 10 .50 2.50 15.00 Cimcifuga racemosa, collected 15 .60 3.00 20.00 Claytonia Virginica, collected 15 .60 3.00 Clintonia borealis, collected 15 .60 3.00 Coreopsis auriculata 10 .50 1.50 "grand. (Harvest Moon) 15 .75 5.00 "arcosea 15 .60 3.00 Cunilla Mariana, collected 20 .60 3.00 Cypripedium acaule, collected 15 .75 4.00 "pubescens, collected 25 1.25 8.00 "spectabile 50 3.00 15.00 Dentaria laciniata, collected 15 .60 3.00 Dicestra Canadensis, collected 15 .60 2.00	Chalana alabas as llast al				10.00
"umbellata, collected 15 .75 4 00 Chrysopsis falcata, collected 20 .50 3.00 10.00 "Mariana, collected 10 .50 2.50 15.00 Cimcifuga racemosa, collected 15 .60 3.00 20.00 Claytonia Virginica, collected 15 .60 2.00 15.00 Clintonia borealis, collected 15 .60 3.00 Coreopsis auriculata 10 .50 1.50 "grand. (Harvest Moon) 15 .75 5.00 "alanceolata 10 .50 2.00 15.00 "alanceolata 15 .75 4.00 2.00 15.00 Cunilla Mariana, collected 15 .75 4.00 2.00 15.00 Dentaria laciniata, collected 15 .60<					
Chrysopsis falcata, collected 20 50 3.00 10.00 '' Mariana, collected 10 50 2.50 15.00 Cimcifuga racemosa, collected 15 60 3.00 20.00 Claytonia Virginica, collected 15 60 3.00 Clintonia borealis, collected 15 60 3.00 Coreopsis auriculata 10 50 1.50 '' grand. (Harvest Moon) 15 75 5.00 '' lanceolata 10 50 2.00 15.00 Cunilla Mariana, collected 20 60 3.00 Cypripedium acaule, collected 25 1.25 8.00 '' pubescens, collected 25 1.25 8.00 '' spectabile 50 3.00 15.00 Dentaria laciniata, collected 15 60 3.00 Dicentra Canadensis, collected 15 60 3.00 Dicksonia pilosiuscula 15 60 2.00 15.00 Dicksonia pilosiuscula 15 60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 50 2.00 Drosera filiformis, collected 15 60 1.50 10.00				0	
Mariana, collected 10 .50 2.50 15.00 Cimcifuga racemosa, collected 15 .60 3 00 20.00 Claytonia Virginica, collected 15 .60 2.00 15.00 Clintonia borealis, collected 15 .60 3.00 Coreopsis auriculata 10 .50 1.50 "grand. (Harvest Moon) 15 .75 5 00 "lanceolata 10 .50 2.00 15 00 "lanceolata 10 .50 2.00 15 00 "cosea 15 .50 2.00 15 00 Cypripedium acaule, collected 20 .60 3 00 3 00 Cypripedium acaule, collected 15 .75 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 4 00 5	dimberiata, confected				
Cimcifuga racemosa, collected 15 .60 3 00 20.00 Claytonia Virginica, collected 15 .60 2.00 15.00 Clintonia borealis, collected 15 .60 3.00 Coreopsis auriculata 10 .50 1.50 "grand. (Harvest Moon) 15 .75 5 00 "anceolata 10 .50 2.00 15 00 "rosea 15 .					
Claytonia Virginica, collected 15 .60 2.00 15.00 Clintonia borealis, collected 15 .60 3.00 Coreopsis auriculata 10 .50 1.50 "grand. (Harvest Moon) 15 .75 5.00 "alanceolata 10 .50 2.00 15.00 "rosea 15 Cunilla Mariana, collected 20 .60 3.00 . . Cypripedium acaule, collected 15 .75 4.00 .					_
Clintonia borealis, collected 15 .60 3.00 Coreopsis auriculata 10 .50 1.50 "grand. (Harvest Moon) 15 .75 5.00 "lanceolata 10 .50 2.00 15.00 "rosea 15 .60 3.00 Cypripedium acaule, collected 15 .75 4.00 "pubescens, collected 25 1.25 8.00 "spectabile 50 3.00 15.00 Dentaria laciniata, collected 15 .60 3.00 Dicentra Canadensis, collected 15 .75 2.50 15.00 "cucullaria, collected 15 .60 2.00 15.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00					
Coreopsis auriculata 10 50 1.50 "grand. (Harvest Moon) 15 .75 5 00 "lanceolata 10 .50 2.00 15 00 "rosea 15 .50 2.00 15 00 Cunilla Mariana, collected 20 .60 3 00 Cypripedium acaule, collected 15 .75 4.00 "pubescens, collected 25 1.25 8 00 "spectabile 50 3.00 15.00 Dentaria laciniata, collected 15 .60 3.00 Dicentra Canadensis, collected 15 .75 2.50 15.00 "cucullaria, collected 15 .60 2.00 15.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00					15.00
" grand. (Harvest Moon) 15 .75 5 00 " lanceolata 10 .50 2.00 15 00 " rosea 15 Cunilla Mariana, collected 20 .60 3 00 Cypripedium acaule, collected 15 .75 4.00 " pubescens, collected 25 1.25 8 00 " spectabile 50 3.00 15.00 Dentaria laciniata, collected 15 .60 3.00 Dicentra Canadensis, collected 15 .75 2.50 15.00 " cucullaria, collected 15 .60 2.00 15.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00					
" rosea 15 Cunilla Mariana, collected 20 .60 3 00 Cypripedium acaule, collected 15 .75 4.00 " pubescens, collected 25 1.25 8 00 " spectabile 50 3.00 15.00 Dentaria laciniata, collected 15 .60 3.00 Dicentra Canadensis, collected 15 .75 2.50 15.00 " cucullaria, collected 15 .60 2.00 15.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00					15.00
Cunilla Mariana, collected 20 .60 3 00 Cypripedium acaule, collected 15 .75 4.00 "pubescens, collected 25 1.25 8 00 "spectabile 50 3.00 15.00 Dentaria laciniata, collected 15 .60 3.00 Dicentra Canadensis, collected 15 .75 2.50 15.00 "cucullaria, collected 15 .60 2.00 15.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00	ianceolata		.50	2.00	15 00
Cypripedium acaule, collected 15 .75 4.00 "pubescens, collected 25 1.25 8.00 "spectabile 50 3.00 15.00 Dentaria laciniata, collected 15 .60 3.00 Dicentra Canadensis, collected 15 .75 2.50 15.00 "cucullaria, collected 15 .60 2.00 15.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00	Cunilla Mariana collected		60	2.00	
" pubescens, collected 25 1.25 8 00 " spectabile 50 3.00 15.00 Dentaria laciniata, collected 15 .60 3.00 Dicentra Canadensis, collected 15 .75 2.50 15.00 " cucullaria, collected 15 .60 2.00 15.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00	Cyprinedium acaule collected				
"spectabile 50 3 co 15 co Dentaria laciniata, collected 15 .60 3 co Dicentra Canadensis, collected 15 .75 2 co 15 co "cucullaria, collected 15 .60 2 co 15 co Dicksonia pilosiuscula 15 .60 2 co 10 co Dioscorea villosa, collected 25 1 co Dracocephalum Virginicum 10 .50 2 co Drosera filiformis, collected 15 .60 1 co					
Dentaria laciniata, collected 15 .60 3.co Dicentra Canadensis, collected 15 .75 2.50 15.00 "cucullaria, collected 15 .60 2.00 15.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00					
Dicentra Canadensis, collected 15 .75 2.50 15.00 "cucullaria, collected 15 .60 2.00 15.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00					1
" cucullaria, collected 15 .60 2.00 15.00 Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00					TE OC
Dicksonia pilosiuscula 15 .60 2.00 10.00 Dioscorea villosa, collected 25 1.50 Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00					_
Dioscorea villosa, collected					
Dracocephalum Virginicum 10 .50 2.00 Drosera filiformis, collected 15 .60 1.50 10.00				2.00	10.00
Drosera filiformis, collected 15 .60 1.50 10.00		-	_	2.00	
44 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4					10.00
00.11					10.00
	corr of I	-3	.00	3.00	

Augent and the second and the second	Each	Io	100	1,000
Elodes Virginica, collected	15	.60	3.00	15.00
Epilobium angustifolium, collected	15	.75	Alletten	nolo M
Erianthus alopecuroides, collected	15	.60	3.00	25.00
Eriocaulon gnaphalodes, collected	15	.60	1.50	
" decangulare, collected	15	.60	2.00	
Eriophorum Virginicum, collected	15	.75	5.00	5
Eryngium amethystinum	25	1.00		
planum	25	1.00		
" Virginicum	15	.75	3.00	25 00
Erythronium Americanum, collected.	15	.60	2.50	15.00
Eulalia gracillima	10	.50	2.00	18.00
" Japonica zebrina	15	.60	2.50	18.00
Eupatorium ageratoides, collected	15	.60	3.00	20.00
" aromaticum, collected	20	.75	4.00	
" cœlestinum	20	1 00	5.00	
" purpureum, collected	15	.60	2.00	18.00
Euphorbia corollata	15	.50	3.00	20.00
" ipecacuanhæ, collected	10	.50	2.00	15.00
Funkia lancifolia	15	60	3.00	13.00
" subcordata	25	1.00	3.00	
" Sieboldii	25	2.00		
" Thos. Hogg	25	1.25	8.00	
Gaillardia grandiflora	20	1.00	5.00	
Galactea glabella	20	.80	5.00	
Gentiana Andrewsii, collected		1.25	6.00	10
" augustifolia, collected	25		, 0.00	
" saponaria, collected	25	1.50	6.00	44
Geranium maculatum, collected	25	.60		
" sanguineum	15	.80	2.50	
Gerardia flava, collected	20	.60	5.00	
" quercifolia, collected			3.00	
Gillenia trifoliata, collected	25	2.50		
Goodyera pubescens	25	1.00	F 00	
Gratiola aurea, collected	30.	60	5.00	2.8
	15		3.00	50
Gypsophyla repens	25	1.50	4 00	11
Habenaria blephariglottis, collected	15	.70	4.00	
" ciliaris, collected	15	.75	5.00	T'T 00
Helenium autumnale, collected	15	60	2.00	15.00
superba	15	. 60	3 50	30.00
Doulandell	25	1.00		
grandicephanum striatum	15	.60	4 00	35.co
ришпиш	25	1.50		
Helianthus angustifolius, collected	15	.60	3.00	20.00
decapetarus	20	.75		RIVING.
divaricatus, conected	15	,60	2.00	15.00
giganteus	15.	60	3 00	
lætillorus	10	.50	2.00	10.00
waximinani	20.	.80	5.00	-
moms	20	.75		
" orgyalis	10	.50	3.50	25.00
	10	.50	3.00	

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
Heliopsis Pitcheriana	25	1.00		ration a
Helonias bullata, collected	20	.85	4.00	30.00
Hemerocallis Dumortieri	15	.60	4.00	35.00
" flava	20	.75	4.00	
" fulva	10	.60	2.00	1.500
"Kwanso plena	25			
" Thunbergii	20	.75	5.00	
Hepatica acutiloba, collected	15	.60	3.00	20.00
" triloba, collected	15	.60	3.00	20.00
Heuchera Americana, collected	15	.50	2.00	15.00
Hibiscus moscheutos	15	.60	3.00	20.00
" Crimson Eye	15	.60	2.50	18.00
" Rose Pink	15	.60	3.00	20.00
" militaris	15	.80	5.00	
Houstonia cœrulea, collected	15	.50	3.00	
Hymenocallis Galvestonensis (Hardy	-3	.50	3.00	
Spider Lily)	25	1.00	6.00	
Hypericum angulosum, collected	15	.60	3.00	
" ascyron	25	.00	3.00	
Iberis sempervirens	20	1.00	5.00	
" superba	25	1.50	8.00	
Ipomea pandurata, collected		1.00	6.00	
Iris Germanica in special colors	25	1.00		
" prismatica, collected	15	.60	4.00	* = 00
" sumila	15	.60	2.00	15.00
" pumila	15		2.50	
"Siberica	15	1.00	5.00	
" versicolor, collected	25	60		T.O. 0.0
Kosteletzkia Virginica (1 year)	15	.60	1.50	12.00
" (2 year)	15	.75	5.00	
-	25	1.00	2.20	
	10	.50	2.00	15.00
Liatris graminifolia, collected	10	.50	2.00	15.00
" punctata	20	.75		
pychnostachia	25	1.25		
scariosa	20	.75		
spicata	20	.75	2.50	
Lilium Philadelphicum, collected	25	.80		
" superbum	20	.60	3.50	30.00
Liparis liliifolia	25	1.25	8.00	
Lobelia cardinalis, collected	20	.60	2.50	15.00
" syphilitica, collected	25	.80	4.00	
Lophiola aurea, collected	25	.60	3.00	25.00
Ludwigia hirtella, collected	30	1.25		
Lupinus perennis	15	.60	4.00	
Limnanthemum lacunosum, collected.	25	1.00	6.00	
Lysimachia ciliata	15	.60	3.00	
" clethroides	15	.60	4.00	
nummulana	15	.60	2.00	
" punctata	15	.60	3.00	
" quadrifolia collected	15	.60	2.50	

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
Lysimachia stricta	.15	.60	2.00	
Lythrum salicaria superba	. 15	.80	5.00	45.00
Mertensia Virginica, collected	.20	.75	3.50	25.00
Mikania scandens, collected	.25	1.00	5.00	
Mitchella repens, collected	.10	.50	1.50	12.00
Monarda didyma coccinea	.15	1.00	5.00	
" purpurea	. 15	1.00	5.00	
Narthecium Americanum, collected	.30	1.50	5.00	
Nepeta glechoma	.10	.50	2.00	
Nesæa verticillata, collected	.25	1.00	5.00	
Nuphar advena, collected	.25	1.00	6 00	
Nymphæa odorata, collected	.25	.75	3.00	
" minor, collected	.25	75	3.00	
Œnothera fruticosa, collected	.15	.60	2.00	18.cc
Onoclea sensibilis, collected	. 15	.50	2.00	10.00
" struthiopteris, collected	.15	.70	4.00	
Opuntia Raffinesquii	.15	.60	2.00	15.00
Orontium Aquaticum, collected	.20	.90	6 00	45.00
Osmunda cinnamomea, collected	.20	1.00	6.00	35.00
" Claytoniana, collected	.20	.85	4.00	35 00
" gracilis, collected	. 25	1.00	6.00	40.00
" regalis, collected	. 20	1.00	6 00	40 00
Oxalis violacea, collected	.15	.60	3.00	40 00
Pancratium Carribæmn	.25	1.00	6,00	
Panicum virgatum, collected	.15	.60	2 00	15.00
Pardanthus Chinensis	.10	.50	2.00	15.00
Pentstemon barbatus Torreyi	.20	.75	4.50	13.00
" digitalis	.20	1.00	5.00	
" pubescens	.15	.60	2.50	20.00
Peltandra Virginica, collected	.30	1.50	8 00	60.00
Phegopteris dryopteris	.15	.60	0 00	00.00
'' hexagonoptera	.15	.60	3.00	
'' polypodioides	.15	.60	3.00	
Phlox divaricata, collected	.20	.75	3.00	25.00
" maculata, collected	.20	·75	3.50	25.00
" subulata	.15	.60	2 50	
" " alba	.15	.60	2.50	
"The Pearl	.25	.00	2.50	
Phragmites communis, collected	.30	1.50	7 50	50.00
Plumbago larpentæ		.60	7.50	50.00
Platycodon grandiflorum	.15	.00	4 00	
" album	.25	1.50		
Podophyllum peltatum, collected		1.50 .60	2.00	I F 00
Pogonia ophioglossoides, collected	.15		2.00	15.00
		•75	3 00	10.00
Polypodium vulgare	. 15	.60	2.00	10.00
	.20	.75	4.00	30.00
Pteris aquilina, collected	. 15	.50	2.00	10.00
Dyonanthamum linitalium				
Pyrola chlorantha, collected	.10	.50	2.00	
Pyrola chlorantha, collected	.15	.60 .60	2.00	

All plants in this list are nursery-grown unless otherwise specified.

	Each	10	100	1,000
Pyrola rotundifolia, collected	.15	.60	2.00	
Pyxidanthera barbulata, collected	.20	.75	3.00	25 00
Rudbeckia fulgida	.20	.80	5.00	
hirta, collected	.15	.60	2.50	2 0.00
" laciniata	.15	.60	3.00	25.00
" fl. pl. (Golden Glow)	.10	.50	3.50	20.00
" nitida	.15	.60	3.00	
" speciosa	.15	.80	5 00	
Sabbatia chloroides, collected	.25	.75	4.00	35.00
" lanceolata, collected	.15	.60	3.00	25.00
Salvia lyrata	.10	.50	2.00	15.00
Sanguinaria Canadensis	.15	.60	2.00	18.00
Sarracenia purpurea, collected	.25	.75	3.00	25.00
Sclerolipis verticillata, collected	.20	75	4.00	
Scirpus Eriophorum, collected	.15	.60	3.00	
Sedum acre	.10	.50	2.00	15.00
" spectabile	.15 .15	1.00 .60	5.0 0 2. 00	7.5.00
Silene Pennsylvanica	.20			15.00
" stellata	.15	·75	5.00 3.00	
Schizæa Pusilla	.50	2.00	3.00	
Smilacina bifolia, collected	.20	.75	3.00	25 00
" racemosa, collected	.20	.75	3.00	
Solidago altissimum, collected	.15	.60	2.50	23.00
" cæsia, collected	.15	.50	2.50	
" Canadensis, collected	.15	.60	2.50	
" juncea, collected	.15	.50	3-	
" lanceolata, collected	.10	.50	2.00	15.00
" nemoralis, collected	.15	.60	2.00	15 CC
" odora, collected	.10	.50	2.00	15.00
" puberula, collected	.15	.60	2.50	
sempervirens	.10	.60	2.50	20 00
" tenuifolia, collected	.IO	.50	2 00	15.00
" virgata, collected	.20	.75	3.00	25 00
Statice latifolia	.25			
C ephrosia Virginica, collected	.15	.60	2 00	18.00
Thalictrum cornuti, collected	.20	.75	3.00	25.00
" dioicum, collected	.20	.75	3.50	30 00
Tradescantia Virginica	.15	.60	2.50	20 00
" alba	.20	.75	3.50	
" fl. pl	.25	1.00		
Prillium erectum, collected	.15	.60	3.00	
" album, collected	.20	· 7 5	4 00	
grandinorum	.15	.50	2.50	15.00
105CUIII	.20	.75	5.00	
Typha angustifolia, collected	.15	.60	2.00	15.00
	.15	.60	2.00	15.00
' latifolia, collected				
Vernonia hybrida	.15	1.25	4.00	
	.15 .20	.80 .75	4.00	35.00

	Each	10	100	1,000
Veronica officinalis	.15	.50	2,00	18.00
Viola cornuti	.25	1.00		
" alba	.25	1.00		
" cucullata	.10	.50	1.50	10.00
" pedata, collected	.15	.50	1.50	10.00
bicolor	.25	1.00	7.50	
" primulæfolia, collected	.20	.75	2.50	
Water Hyacinth	.15	.50	3.00	
Woodwardia angustifolia, collected	.15	.60	2.50	20.00
" Virginica, collected	.15	.60	2.00	15.00
Xerophyllum asphodeloides, collected (in strong	.15	.60	2.00	15.00
clumps), collected	.25	1.50		
Yucca filamentosa	.20	.70	3.50	30.00
" (heavy plants)	.25	1.50	7.00	
" (seedlings I yr. trans.)	.10	.40	1.50	10.00



TRILLIUM GRANDIFLORUM.

Trees, Shrubs and Woody Climbers.

	Each	10	100	1,000
Acer dasycarpum, 4 to 6 ft	\$0.15	\$1.25		
" Platanoides, 6 to 12 ft	.30	2.50		
" 3 to 6 ft	.20	1.50	\$10.00	
" I to 3 ft	.10	.50	2.50	
" seedlings, 4-6 in.		.25	1.00	
" Pennsylvanicum, 1 to 2 ft	. 20	.80	4.00	
" rubrum, 4 to 6 ft	.25	1.00		
" 4 to 5 ft., collected.	.20	.80	4.00	
" 3 to 4 ft., collected.	.20	.75	3.00	
" 2 to 3 ft., collected.	.15	.50	2.50	\$15.00
" saccharinum, 8 to 12 ft	.40	3.50		
" 5 to 8 ft	.20	1.50	10.00	
" spicatum, 2 to 3 ft	.25	1.25	6.00	
Akebia quinata, 2 yrs., heavy	.15	.50	2.50	
" I yr., heavy	.10	.40	2.00	
Amelanchier Botryapium, collected.		.60	3.50	30.00
" Canadensis, 1-3 ft., tran.		1.75		
" I yr., trans.	.15	.60	3.50	
" collected		.60	3.00	
" rotundifoli-				
um, 1 to 2 ft., trans	.15	1.00	6.00	
" rotundifolium, 8 to 12 in.,				
trans	.10	.80	4.co	
Amorpha fruticosa	.15	.60		
Ampelopsis quinquefolia, 2 yrs	.15	.60	3.00	
Andromeda arborea, 4 to 5 ft	.50	3.00		
3 to 4 It	.35	2.00	12.00	
2 to 3 1t	,25	1.25	7.00	
" calyculata, 10 to 12 in " collected	.20	.75	2.00	** 00
'' ligustrina, collected		.6o .6o	2.00	15 00
" Mariana, I to 2 ft	20		3.00	25.00
" 6 to 12 in	.20	1.00	5.00	
" collected	. 15	.75	4 00	25.00
((1!f-1!	25	.75	3 50 4.co	25.00
politolia, 2 yrs	.25	·75	3.00	
" racemosa, I to 2 ft		•	6.co	
" collected	.15	·75	2.50	20.CO
Arctostaphylos uva-ursi, collected.		.60	2.00	15.00
Asimina triloba, collected	. 15	.60	3.50	30.00
Ascyrum Crux-Andræ, collected	.15	.60	2.00	30.00
" stans, collected	.15	.60	2.00	
Azalea arborescens, 2 to 3 ft	.40	.00	2 00	
" calendulacea, I to 2 ft	.35	2.00	18.00	
" 6 to 12 in	.25	1.00	8.00	

	Each	10	100	1,000
Azalea nudiflora, 1 to 2 ft	-35	3.00		
" I yr., trans	.15	1.25	8.00	
" collected		.60	3.00	25.00
" Vaseyi, 2 to 3 ft	.40			
" viscosa, I to 2 ft	.15	.80	7.50	
" 6 to 12 in	.10	.60	4.00	
" collected		.60	3.00	25,00
" 3 to 6 ft., with ball,			3.22	-51.00
collected	T.50	10.00		
This is an exceptionally fine, bushy lot, well budded, and can be furnished in carload lots at special prices.	1.50	10.00	•	
Baccharis halimifolia, 1½ to 3 ft	.20	.80	6.00	
" collected	.15	.75	4.00	30.00
Berberis Thunbergii, 10 to 12 in.	.15	·75	4.00	30.00
" vulgaris, 10 to 12 in	.10		2.00	
Betula lenta, I to 2 ft., trans		.40 .60		
" collected	.10		5.00	* 0 00
		.50	2.50	18.00
" nigra, 5 to 6 ft., fine	.50	3.00	25.00	
1/2 10 3 11	.15	1.00	10.00	
confected		.60	3.00	20.00
populiiona, 10 to 12 ft	.25	2.00		
conected		.50	1.50	10.00
Calycanthus Floridus, 3 to 4 ft	.25	1.00	6.00	
Carpinus Americana, 4 to 6 ft	.25	1.50		
" I yr., trans		.75	5.00	
" collected		.50	3.50	30.00
Castanea Americana, 3 to 6 ft	.25	1.50		
" Jap., special strain, 2-4 ft.	.35	2.50		
Ceanothus Americanus				
" collected	.IO	.60	4.00	
Celastrus scandens	.10	.60	3.00	
" collected		.50	2.00	15.00
Cephalanthus occidentalis, 2 to 3 ft.	.15	.80	5.00	3
" i to 2 ft.	.10	.50	3.00	
Cercis Canadensis, 2 to 3½ ft	.25	1.00		
" i yr., trans	.10	.60	6.00	
" collected	.10	.60	4 00	30.00
Chionanthus Virginica, 3 to 5 ft.	.40	2.00	10.00	75.00
" 2 to 3 ft		1.25	6.00	50 00
" I to 2 ft	.30	.60		30 00
C1 41 TT! 1 T	.15	.60	3.50	
	.15		3.50	T Q 00
confected		.50	2.50	18.00
Clethra alnifolia, 2 to 3 feet	.15	80	5.00	0.5
1 to 2 ft	.10	.50	3.00	25.00
conected		.50	2.00	15.00
Comptonia asplenifolia, 2 yrs., XX	.20		6.00	
" collected		.50	1.50	10.00
Cornus alternifolia, collected		.50	3.00	25.00
" Florida, 3 to 5 ft	.25	2.00		

	Each	10	100	1,000
Cornus Florida, 2 to 3 ft	.15	1.00		
" collected		.60	3.50	20,00
" mas., 3 to 4 ft	.20	1.00		
" ' 2 to 3 ft	.15	.90	5.00	
" " I to 2 ft		.50	3 00	
" circinata, 1 to 2 ft	.25	1.00		
" collected		.6 0	3.50	30.00
" paniculata, 1 to 3 ft	.20	1.00	7.00	
" collected		.60	3.00	25.00
" sanguinea, 3 to 4 ft	.20	.75		
" sericea, 3 to 5 ft., XX	.20	.75	6.00	
" collected		.60	2.50	20 00
" stolonifera, 3 to 5 ft., fine.	.25	1.00	5.00	
" 2 to 3 ft	.15	.60	3 00	
Corylus Americana, 2 to 3 ft	.25	1.25		
" I to 2 ft	.15	.75	6.oo	
" collected		.6 0	3.00	20.00
Cratægus parvifolia, 2-3 ft., heavy	.30	1.75		
" collected		.60	4.00	35.00
" crus-galli, 3-4 ft.	.40	2.00		
Cupressus thyoides, collected		.50	1.50	8.00
Diervilla trifida, trans	.15	.60	4.00	
" collected		.6 0	3.00	25.00
" sessilifolia, 3 to 4 ft	.20	1.00		
Dimorphanthus Mandschuricus, 3-6ft.	.50	3.0 0		
Diospyros Virginica, collected	.20	.75	4 00	
Dirca palustris, 1 yr., trans	.20	.75	5.00	
Epigea repens, col., seedli'gs, with ball	.25	1.00	6.00	
Euonymus Americanus, trans	. 15	.60	3.50	
collected		.60	2.50	20.00
" radicans, strong	.15	.60	3.50	
" variegated	.15	.75		
" Europæus, 3 to 4 ft	.20	00.1	4 00	
" 2 to 3 ft	.15	.60	3.00	
Forsythia Fortunei, 2 to 4 ft	. 15	.60	4 00	
Fraxinus Americanus, collected	.20	.75	3.00	25.00
Gaultheria procumbens, collected .	.10	.40	1.50	10.00
Gaylussacia Dumosa	. 15	.60	3.50	
" collected		.6 o	2.50	20.C
'' frondosa	.15	.6 0	5.00	
" collected		.50	3.00	25.00
" resinosa, collected	.15	.50	2.00	15 00
Gleditschia inermis, 10 to 20 ft	.75	5 00	40.00	
" 6 to 10 ft	.50	3.00	20.00	
" 3 to 6 ft	.15	1.00	8.00	
Halesia tetraptera, 4 to 6 ft	.25	1.25		
Hammamelis Virginica, 4 to 6 ft	.30	1.50		
" 2 to 4 ft	.20	1.00		
" I to 2 ft	.IO	.50		

Each	IO	100	1,000
Hudsonia ericoides, collected	.50	2.00	15.0
" tomentosa, collected	.6 0	3.00	20.0
Hydrangea arborescens, 2 to 3 ft 15	· 7 5	6. o o	
" collected	.6 0	3,00	25.0
Hypericum densiflorum, collected15	.6 o	1.50	10.0
Ilex glabra, 6 to 12 in., collected15	.60	3.00	20.0
" I to 2 ft., with ball, col 50	3.00	17.00	
" 2 to 3 ft., with ball, col 1.00	6.00	40.00	
Ilex Opaca, 2 to 4 ft., trans	3.00	25.00	
" trans., berry bearing, \$1 to \$3			
" collected, seedlings	.75	4.00	3 5 0
" col., I to 2 ft., very bushy	1.50	12.00	•
Prices quoted on larger sizes on ap-			
plication. We cut leaves from all Ilex opaca as soon as dug.			
Ilex verticillata, 2-3 ft., berry-bear'g .75	5.00		
" collected	.85	4.00	30.0
Itea Virginica, 2 to 3 ft	.75	5.00	3-1-
" 1 to 2 ft	.50	3.00	
" collected	.50	2.50	
[va frutescens, collected	.60	3 00	25.0
uniperis communis, collected	.75	4.00	-3.0
"Virginiana, collected	.50	2.00	15.0
Kalmia angustifolia, 2 to 3 ft , ,25	1.50	2.00	٠,٠٠
" collected	.60	2.00	15.0
" glauca, 12 to 15 in	1.00	6.00	13.0
" latifolia, 2-3 ft., trans., bushy .50		0.00	
" 6 to 12 in., collect'd	.60	2.50	15.0
" " 2 ft., with ball, col40	2.50	20.00	13. ∪
We have a fine lot of this grade of	2.50	20.00	
Kalmias, growing on land which was			
burned over, three years ago, which we			
can furnish by the thousand or carload at special prices.			
			25.0
Kolreuteria paniculata, 1 to 2 ft 10	.50	3, 0 0	25.0
Ledum latifolium, 12 to 15 in., bushy .30	1.50	8.00	
Ligustrum Ibota,	•75		
Leiophyllum buxifolium, collected 15	.60	2.00	15.0
Leucothoe Catesbæii, 1 to 2 ft	1.00	6.00	
0 to 12 iii	.60	4.00	
Lindera Benzoin, 12 to 18 in	* .8o	5.00	
confected	.60	3.00	25.0
iquidambar styraciflua, 6 to 12 ft50	4.00		
4 10 0 1135	3.00	25.00	
2 10 4 1120	1.00	8.oo	
confected.	.60	2.00	15.0
iriodendron tulipifera, 6 to 8 ft35	2.50	18.00	
" 5 to 6 ft25	2.00	12.00	100.0
" 4 to 5 ft15	1.25	10.10	75.0
Lonicera Brachypoda, collected	.60	3.00	25.0
" fragrantissima, 2 to 3 ft 15	.50		

Lonicera Halleana, 2 yrs. .25 .75 .350 .25 .00					
Lycium vulgare			10		
Magnolia glauca, 1 yr., traus. .15 .75 3 00 25.00 Menispermum Canadense, collected .15 .60 2 50 20.00 Myrica cerifera, 2 to 4 ft., bushy .40 1 75 10.00 10.00 """ I to 2 ft., bushy .40 1 75 10.00 """ collected, seedlings .75 5 0c 30.00 """ collected .75 3 50 30.00 Nyssa multiflora, trans. .15 1 00 100 Ostrya Virginica, I to 2 ft. .25 1.25 7.50 40.00 Phelodendron amurence, 4 to 6 ft. .20 1.25 4.50 40.00 Platanus orientalis, 10 ft. .40 3co 15.00 40.00 Platanus orientalis, 10 ft. .40 3co 15.00 40.00 Potentilla fruiticosa, 1 to 2 ft. .15 .60 3.00 20.00 """" Sto 10 ft. .25 1.00 8.00 20.00 """" Secondina, 20lected .15 .60 3.00 20.00 "			.75	3.50	25 00
Menispermum Canadense, collected . 15			_	2.50	
Menispermum Canadense, collected			.75		
Myrica cerifera, 2 to 4 ft., bushy40 "" I to 2 ft., bushy30 "" Collected, seedlings "" collected, seedlings "" collected75 "" collected	conceted				25.00
" " 1 to 2 ft., bushy		_		_	20.00
"					
" " collected	1 to 2 It., bushy	.30			
" gale, 12 to 18 in., trans	1 yr., traus., strong				
Gale, 12 to 11, trans.	confected, seedings				30.00
Nyssa multiflora, trans	gale, 12 to 10 III., trans	.15			
Ostrya Virginica, I to 2 ft	collected			3.50	30.00
"" collected .75 4.50 40.00 Phelodendron amurence, 4 to 6 ft. .20 1.25 Photinia villosa, 3 to 4 ft. .30 2.50 Platanus orientalis, 10 ft. .40 3co "" "5 to 10 ft. .25 2.00 15.00 "" "5 to 10 ft. .15 1.00 8.00 Potentilla fruiticosa, 1 to 2 ft. .15 .60 3.00 Prunus maritima, collected .15 .60 3.00 20.00 "" pumila, 1½ to 3 ft. .30 1.25	Nyssa multiflora, trans				
Phelodendron amurence, 4 to 6 ft	Ostrya Virginica, i to 2 ft	.25	_		
Photinia villosa, 3 to 4 ft				4.50	40.00
Platanus orientalis, 10 ft			-		
""" 5 to 10 ft. .25 2.00 15.00 """ 3 to 5 ft. .15 1.00 8.00 Potentilla fruiticosa, I to 2 ft. .15 .60 3.00 Prunus maritima, collected .15 .60 3.00 20.00 "pumila, 1½ to 3 ft. .30 1.25 <		-			
"" "3 to 5 ft.					
Potentilla fruiticosa, I to 2 ft		_		_	
Prunus maritima, collected .15 .60 3 00 20.00 " pumila, 1½ to 3 ft .30 1.25 " collected .25 1 co 6.00 " serotina, collected .15 .60 3 00 20.00 " Virginiana, collected .15 .60 3 00 25.00 Pyrus arbutifolia, 1 to 2 ft .15 .60 3 50 30.00 " " collected .60 2 00 18.00 " " var. Brilliantissima, 1 to 2 ft .15 1.75 10 00 Pyrus arbutifolia var. Brilliantissima, 1 to 2 ft .15 .75 4.50 35 00 Pyrus melanocarpa, black-fruited .15 .75 4.50 35 00 " " collected .50 2 00 18.00 Rhododendron maximum, 2 yrs .25 1.50 8.00 " collected .75 2.00 18 00 Rhus aromatica, 1 to 2 ft .20 1.50 " copalina, 2 to 3 ft .15 .80 4.00 " glabra, 2 to 3 ft .15 .60 2.50 20.00 Ribes Floridum .10<	3 10 5 11				
" pumila, 1½ to 3 ft. .30 1.25 " " collected .25 1.00 6.00 " serotina, collected .15 .60 3.00 20.00 " Virginiana, collected .15 .60 3.00 25.00 Pyrus arbutifolia, 1 to 2 ft. .15 .60 3.50 30.00 " " collected .60 .200 18.00 " " var. Brilliantissima, .25 1.75 10.00 Pyrus arbutifolia var. Brilliantissima, .15 .75 4.50 35.00 Pyrus melanocarpa, black-fruited .15 .75 4.50 35.00 " " collected .50 2.00 18.00 Rhododendron maximum, 2 yrs. .25 1.50 8.00 " " collected .25 1.50 8.00 " copalina, 2 to 3 ft. .15 .80 4.00 " " copalina, 2 to 3 ft. .15 .80 4.00 " glabra, 2 to 3 ft. .15 .50 2.00 15.00 " glabra, 2 to 3 ft. .15 .60 2.50 20.00 Ribes Floridum .10<				_	
### Collected		_		3 00	20.00
" serotina, collected .15 .60 3 00 20 00 " Virginiana, collected .15 .60 3 00 25 00 Pyrus arbutifolia, I to 2 ft .15 .60 3 50 30.00 " " collected .60 2 00 18.00 " " var. Brilliantissima,	pumna, 172 to 3 It				
"Virginiana, collected .15 .60 3.00 25.00 Pyrus arbutifolia, I to 2 ft .15 .60 3 50 30.00 "" "collected .60 2 00 18.00 "" "var. Brilliantissima, .25 1.75 10 00 Pyrus arbutifolia var. Brilliantissima, .1 to 2 ft .15 1.25 7 50 Pyrus melanocarpa, black-fruited .15 .75 4.50 35 00 "" "collected .60 2 00 18.00 Rhododendron maximum, 2 yrs .25 1.50 8.00 "" "collected .75 2.00 18 00 Rhus aromatica, I to 2 ft .20 1.50 "" copalina, 2 to 3 ft .15 .80 4.00 "" "collected .50 2.00 15.00 "" glabra, 2 to 3 ft .15 1.00 "" typhina, collected .15 .60 2.50 20.00 Ribes Floridum .15 .50 3.00 25 00 Rosa blanda .15 .75 <	confected	_			
Pyrus arbutifolia, 1 to 2 ft					
"" var. Brilliantissima, 2 to 3 ft., bushy	viiginiana, conected				-
"" var. Brilliantissima, 2 to 3 ft., bushy		_			_
2 to 3 ft., bushy	conected	•	.60	2 00	18.00
Pyrus arbutifolia var. Brilliantissima, I to 2 ft.					
I to 2 ft. .15 I.25 7 50 Pyrus melanocarpa, black-fruited .15 .75 4.50 35 00 "" "collected .60 2 00 18.00 Rhododendron maximum, 2 yrs. .25 I.50 8.00 "" collected .75 2.00 I8 00 Rhus aromatica, I to 2 ft. .20 I.50 " copalina, 2 to 3 ft. .15 .80 4.00 "" I to 2 ft. .75 3.50 "" collected .50 2.00 I5.00 "glabra, 2 to 3 ft. .15 I.00 "" collected .75 3.00 "typhina, collected .15 60 2.50 20.00 Ribes Floridum .10 .80 4.00 Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 "" Carolina .15 .60 2.00 18.00 "" collected .60 2.00 18.00		.25	1.75	.10 0.0	
Pyrus melanocarpa, black-fruited .15 .75 4.50 35 00 " "collected .60 2 00 18.00 Rhododendron maximum, 2 yrs .25 1.50 8.00 " "collected .75 2.00 18 00 Rhus aromatica, 1 to 2 ft .20 1.50 " copalina, 2 to 3 ft .15 .80 4.00 " "collected .50 2.00 15.00 " glabra, 2 to 3 ft .15 1.00 " collected .75 3.00 " typhina, collected .15 60 2.50 20.00 Ribes Floridum .10 .80 4.00 Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 " Carolina .15 .60 2.00 18.00 " collected .60 2.00 18.00					
" collected		_			
Rhododendron maximum, 2 yrs. .25 1.50 8.00 " collected seedlings, 6 to 12 in. .75 2.00 18.00 Rhus aromatica, 1 to 2 ft. .20 1.50 " copalina, 2 to 3 ft. .15 .80 4.00 " '' to 2 ft. .75 3.50 " '' collected .50 2.00 15.00 " glabra, 2 to 3 ft. .15 1.00 " collected .75 3.00 " typhina, collected .15 60 2.50 20.00 Ribes Floridum .10 .80 4.00 Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 " Carolina .15 .60 2.00 18.00 " collected .60 2.00 18.00	ryrus meianocarpa, black-fruited.	.15			
collected seedlings, 6 to 12 in. .75 2.00 18.00 Rhus aromatica, 1 to 2 ft. .20 1.50 "copalina, 2 to 3 ft. .15 .80 4.00 "Total collected .75 3.50 "Collected <td></td> <td></td> <td></td> <td></td> <td>18.00</td>					18.00
seedlings, 6 to 12 in. .75 2.00 18 00 Rhus aromatica, 1 to 2 ft. .20 1.50 "copalina, 2 to 3 ft. .15 .80 4.00 "1 to 2 ft. .75 3.50 "Collected .50 2.00 15.00 "glabra, 2 to 3 ft. .15 1.00 "Collected .75 3.00 "typhina, collected .15 60 2.50 20.00 Ribes Floridum .10 .80 4.00 Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 "Carolina .15 .60 3.00 "collected .60 2.00 18.00 "lucida .15 .60 4.00	Knododendron maximum, 2 yrs	.25	1.50	8.00	
Rhus aromatica, I to 2 ft. .20 I.50 "copalina, 2 to 3 ft. .15 .80 4.00 "I to 2 ft. .75 3.50 "Collected .50 2.00 15.00 "glabra, 2 to 3 ft. .15 I.00 "Collected .75 3.00 "typhina, collected .15 60 2.50 20.00 Ribes Floridum .10 .80 4.00 Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 "Carolina .15 .60 3.00 "Carolina .15 .60 2.00 18.00 "Lucida .15 .60 4.00					*0.00
" copalina, 2 to 3 ft. .15 .80 4.00 " 1 to 2 ft. .75 3.50 " collected .50 2.00 15.00 " glabra, 2 to 3 ft. .15 1.00 " collected .75 3.00 " typhina, collected .15 60 2.50 20.00 Ribes Floridum .10 .80 4.00 Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 " Carolina .15 .60 3.00 " collected .60 2.00 18.00 " lucida .15 .60 4.00				2.00	18.00
"" " to 2 ft. .75 3.50 "" collected .50 2.00 15.00 "" glabra, 2 to 3 ft. .15 1 00 "" " collected .75 3 00 "" typhina, collected .15 60 2.50 20.00 Ribes Floridum .10 .80 4.00 Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 "Carolina .15 .60 3.00 "" collected .60 2.00 18.00 "" lucida .15 .60 4.00	Kitus aromatica, 1 to 2 ft			4.00	
" collected 50 2.00 15.00 " glabra, 2 to 3 ft. .15 1.00 " '' collected .75 3.00 " typhina, collected .15 60 2.50 20.00 Ribes Floridum .10 .80 4.00 Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 " Carolina .15 .60 3.00 " collected .60 2.00 18.00 " lucida .15 .60 4.00		.15			
"glabra, 2 to 3 ft .15 1.00 "collected .75 3.00 "typhina, collected .15 60 2.50 20.00 Ribes Floridum .10 .80 4.00 Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 "Carolina .15 .60 3.00 "collected .60 2.00 18.00 "lucida .15 .60 4.00					15.00
"" " collected	conected	v =		2.00	15.00
"typhina, collected" .15 60 2.50 20.00 Ribes Floridum .10 .80 4.00 Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 "Carolina .15 .60 3.00 "collected .60 2.00 18.00 "lucida .15 .60 4.00	glabia, 2 to 3 it	.15		2.00	
Ribes Floridum .10 .80 4.00 Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 "Carolina .15 .60 3.00 "collected .60 2.00 18.00 "lucida .15 .60 4.00		7.5			20.00
Robinia hispida .15 .50 3.00 25 00 Rosa blanda .15 .75 5.00 40 00 '' Carolina .15 .60 3.00 '' collected .60 2.00 18.00 '' lucida .15 .60 4.00	typiina, conected				20,00
Rosa blanda					25.00
"Carolina	D 11 1				
" " collected					40 00
" lucida	Caronna	.15		_	18.00
nuclua	confected	15			10.00
- Confected	luciua	.15		•	20.00
	conected		.50	2.50	20,00

	Each	10	100	1,000
Rosa nitida	.20	1.25	7.00	
" rugosa	20	1.25	8 00	
" setigera	.15	1.25	7.00	
Rubus Canadensis, collected	.10	.40	1.50	IQ.00
" cunæifolius, collected	.10	.40	2.00	15.00
" hispidus	.10	.60	2 00	
" collected		.50	1.50	7.50
" odoratus	.20	.75	3.00	
" collected		.50	2.00	15 00
Salix Britzensis, 1 yr	.IO	.50	3.00	
Sambucus Canadensis, 3 to 5 ft	.20	.75	5.00	
Sassafras, 1 yr., trans	, 15	1.00	5.00	
" collected	, - 3	.50	3.00	25 00
Smilax rotundifolia, collected	.15	.60	3.00	25.00
" Walterii, collected	.25	1.00	6.00	23.00
Spiræa Anthony Waterer, 1 to 2 ft.	.25	1.75	0.00	
" opulifolia, 4 to 6 ft	.20			
" salicifolia, 2 to 3 ft	.15	·75	2 50	
11 1 1 1 1	_	.60	3.50	20.00
collected	.15	.6o	2.50	
confected			2.00	15.00
arba, 2 to 4 ft.	.15	.60	3 00	
Staphylea trifolia, collected	.15	.60	3.00	25.00
Stephanandra flexuosa	.15	1.25		
Symphoricarpus racemosa, 2 to 3 ft.	.15	.60	3.50	
" Vulgaris, 3 to 4 ft.	.15	.60	3.00	25.00
", " 2 to 3 ft.	.10	.50	2.00	20 00
Syringa Persica	.25			
Tecoma radicans	.10	.50	2.50	20.00
Vaccinium corymbosum, 1 to 2 ft	.15	.80	5 00	
" collected		.60	3.00	25.00
" macrocarpon, collected .	.IO	.50	1.50	10.00
" Pennsylvanicum, 1 yr	.10	.75		
· · · · · collected .		.60	3.00	25.00
" stamineum, 8 to 12 in	.15	.80	6.00	
" collected		.75	4.00	30.00
" vacillans, 6 to 12 in	.IO	.60	4.00	0-1-0
" collected		.60	2.00	15.00
Viburnum acerifolium, 1 yr	.15	1.00	7 50	-0.00
" collected	5	.60	3.00	25.00
" cassinoides, 1 yr., trans.	.20		3.00	23.00
" dentatum, trans		.75 1.50	10.00	
" collected	.25	.60	4.00	25.00
" nudum, 1½ to 3 ft	20			35 00
	.20	.80	5 00	0, 00
conected		.60	3.00	25.00
prunnonum, 1 to 3 it	.30	1.25		
confected		.80	5.00	
tomentosum, 2 to 3 ft.	.30	1.25		
Xanthoxylum Americanum	.25	.80		
" collect'd		.75	4.00	30.00
Zanthoriza apiifolia	.20	1.25		

Coniferous Evergreens.

Each	10	Ico	000,1
Arborvitæ American, 1 to 3 ft	0 .60		
" Dwarf, 1 to 2 ft	5 1.50		
Balsam Fir, 5 to 10 ft 1.2	5 10.00		
Blue Fir, Picea concolor, 11/2 to 3 ft3	5 2.50		
Colorado Blue Spruce, seedl's, 1-2 ft3	5 2.50		
Douglas Fir, 2 to 3 ft	5 2.50		
Norway Spruce, 1 to 3 ft	5 1.00	7.00	
Pinus strobus, I to 3 ft	00.1.00		
" inops, collected, seedlings	.75		
" mitis, collected, seedlings	.50	3 00	
" rigida, collected, seedlings	.50	1.50	12.00



ITEA VIRGINICA.





ORONTIUM AQUATICUM